



Art.Nr. **LDL321BS**



1m	58.30,172.01x	265.36cm
2m	14.58,43.001x	530.73cm
3m	6.478,19.111x	796.09cm
4m	3.644,10.751x	1061.45cm
5m	2.332,6.8811x	1326.81cm
6m	1.619,4.7781x	1592.18cm
7m	1.190,3.5111x	1857.54cm
8m	0.9109,2.6881x	2122.90cm
9m	0.7198,2.1241x	2388.26cm
10m	0.5830,1.7201x	2653.63cm

- 7,5W
- AC 165-265V
- 490Lm
- Dimension $\varnothing 100 \times 35$ mm
- Mounting hole $\varnothing 80$ mm
- Weight netto – 95g
- 4000K – neutral white
- IP20
- 120°
- 30000h
- Recommended ambient temperature -5° to +40°C
- Warranty 3 years
- Aluminium-black + silver stripe
- Non-dimmable
- Packing 1/100

<https://nedes.eu/led-light-7-5w-4000k/smd/bk-s-ldl321bs/p-944>

www.nedes.eu



Art.Nr. **LDL321BS**



1m	58.30,172.01lx	265.36cm
2m	14.58,43.001lx	530.73cm
3m	6.478,19.111lx	796.09cm
4m	3.644,10.751lx	1061.45cm
5m	2.332,6.881lx	1326.81cm
6m	1.619,4.778lx	1592.18cm
7m	1.190,3.511lx	1857.54cm
8m	0.9109,2.688lx	2122.90cm
9m	0.7198,2.124lx	2388.26cm
10m	0.5830,1.720lx	2653.63cm

- 7,5W
- AC 165-265V
- 490Lm
- Rozmer Ø100x35mm
- Výrez Ø80mm
- Hmotnosť netto – 95g
- 4000K – neutrálna biela
- IP20
- 120°
- 30000h
- Doporučená teplota okolia -5° až +40°C
- Záruka 3 roky
- Hliník-čierna + strieborný prúžok
- Nestmievateľné
- Balenie 1/100

<https://nedes.sk/led-svietidlo-7-5w-4000k/smd/bk-s-ldl321bs/p944>

www.nedes.sk



Art.Nr. **LDL321BS**



1m	58.30,172.01x	265.36cm
2m	14.58,43.001x	530.73cm
3m	6.478,19.111x	796.09cm
4m	3.644,10.751x	1061.45cm
5m	2.332,6.8811x	1326.81cm
6m	1.619,4.7781x	1592.18cm
7m	1.190,3.5111x	1857.54cm
8m	0.9109,2.6881x	2122.90cm
9m	0.7198,2.1241x	2388.26cm
10m	0.5830,1.7201x	2653.63cm

- 7,5W
- AC 165-265V
- 490Lm
- Rozměr Ø100 x 35mm
- Výřez Ø80mm
- Hmotnost netto – 95g
- 4000K – neutrální bílá
- IP20
- 120°
- 30000h
- Doporučená teplota okolí -5° až +40°C
- Záruka 3 roky
- Hliník-černá + stříbrný kroužek
- Nestmívatelné
- Balení 1/100

<https://nedes.cz/led-svitidlo-7-5w-4000k/smd/bk-s-ldl321bs/p-944>

www.nedes.cz



Art.Nr. **LDL321BS**



1m	58.30,172.01x	265.36cm
2m	14.58,43.001x	530.73cm
3m	6.478,19.111x	796.09cm
4m	3.644,10.751x	1061.45cm
5m	2.332,6.8811x	1326.81cm
6m	1.619,4.7781x	1592.18cm
7m	1.190,3.5111x	1857.54cm
8m	0.9109,2.6881x	2122.90cm
9m	0.7198,2.1241x	2388.26cm
10m	0.5830,1.7201x	2653.63cm

- 7,5W
- AC 165-265V
- 490Lm
- Méret Ø100 x 35mm
- Rögzítő nyílás Ø80mm
- Nettó tömeg – 95g
- 4000K – természetes fehér
- IP20
- 120°
- 30000h
- Ajánlott környezeti hőmérséklet -5° és +40°C
- 3 év garancia
- Alumínium-fekete + ezüst csík
- Dimmelhető – nem
- Csomagolás 1/100

<https://nedes.hu/led-feny-7-5w-4000k/smd/bk-s-ldl321bs/p-944>

www.nedes.hu



Art.Nr. **LDL321BS**



1m	58.30,172.01x	265.36cm
2m	14.58,43.001x	530.73cm
3m	6.478,19.111x	796.09cm
4m	3.644,10.751x	1061.45cm
5m	2.332,6.8811x	1326.81cm
6m	1.619,4.7781x	1592.18cm
7m	1.190,3.5111x	1857.54cm
8m	0.9109,2.6881x	2122.90cm
9m	0.7198,2.1241x	2388.26cm
10m	0.5830,1.7201x	2653.63cm

- 7,5W
- AC 165-265V
- 490Lm
- Dimension $\varnothing 100 \times 35\text{mm}$
- Montageloch $\varnothing 80\text{mm}$
- Nettogewicht – 95g
- 4000K – Neutralweiß
- IP20
- 120°
- 30000St
- Empfohlene Umgebungstemperatur -5° bis +40°C
- Garanzzeit 3 Jahre
- Aluminium-Schwarz + silberner Streifen
- Nicht dimmbar
- Verpackung 1/100

<https://nedes.at/led-leuchte-7-5w-4000k/smd/bk-s-ldl321bs/p-944>

www.nedes.at