

Product sheet



Art.Nr. **LDL721**



1m	792.9, 1210lx	69.35cm
2m	198.2, 302.6lx	138.69cm
3m	88.10, 134.5lx	208.04cm
4m	49.56, 75.64lx	277.39cm
5m	31.72, 48.41lx	346.74cm
6m	22.03, 33.62lx	416.08cm
7m	16.18, 24.70lx	485.43cm
8m	12.39, 18.91lx	554.78cm
9m	9.789, 14.94lx	624.12cm
10m	7.929, 12.10lx	693.47cm

- 7W
- AC 85-265V
- Φuse 560Lm (90°)
- Dimension Ø90 x 45mm
- Mounting hole Ø70mm
- Weight netto – 146g
- 4000K – neutral white
- IP20
- 55°
- 30000h
- Recommended ambient temperature -5° to +40°C
- Warranty 3 years
- Aluminium-white
- Non-dimmable
- Packing 1/100

<https://nedes.eu/led-light-7w-4000k/cob/wh-ldl721/p-945>

www.nedes.eu



Art.Nr. **LDL721**



1m	792.9,1210lx	69.35cm
2m	198.2,302.6lx	138.69cm
3m	88.10,134.5lx	208.04cm
4m	49.56,75.64lx	277.39cm
5m	31.72,48.41lx	346.74cm
6m	22.03,33.62lx	416.08cm
7m	16.18,24.70lx	485.43cm
8m	12.39,18.91lx	554.78cm
9m	9.789,14.94lx	624.12cm
10m	7.929,12.10lx	693.47cm

- 7W
- AC 85-265V
- Φ use 560Lm (90°)
- Rozmer \varnothing 90x45mm
- Výrez \varnothing 70mm
- Hmotnosť netto – 146g
- 4000K – neutrálna biela
- IP20
- 55°
- 30000h
- Doporučená teplota okolia -5° až +40°C
- Záruka 3 roky
- Hliník-biela
- Nestmievateľné
- Balenie 1/100

<https://nedes.sk/led-svietidlo-7w-4000k/cob/wh-ldl721/p945>

www.nedes.sk



Art.Nr. **LDL721**



1m	792.9,12101x	69.35cm
2m	198.2,302.61x	138.69cm
3m	88.10,134.51x	208.04cm
4m	49.56,75.641x	277.39cm
5m	31.72,48.411x	346.74cm
6m	22.03,33.621x	416.08cm
7m	16.18,24.701x	485.43cm
8m	12.39,18.911x	554.78cm
9m	9.789,14.941x	624.12cm
10m	7.929,12.101x	693.47cm

- 7W
- AC 85-265V
- Φ use 560Lm (90°)
- Rozměr \varnothing 90 x 45mm
- Výřez \varnothing 70mm
- Hmotnost netto – 146g
- 4000K – neutrální bílá
- IP20
- 55°
- 30000h
- Doporučená teplota okolí -5° až +40°C
- Záruka 3 roky
- Hliník-bílá
- Nestmívatelné
- Balení 1/100

<https://nedes.cz/led-svitidlo-7w-4000k/cob/wh-ldl721/p-945>

www.nedes.cz



Art.Nr. **LDL721**



1m	792.9,1210lx	69.35cm
2m	198.2,302.6lx	138.69cm
3m	88.10,134.5lx	208.04cm
4m	49.56,75.64lx	277.39cm
5m	31.72,48.41lx	346.74cm
6m	22.03,33.62lx	416.08cm
7m	16.18,24.70lx	485.43cm
8m	12.39,18.91lx	554.78cm
9m	9.789,14.94lx	624.12cm
10m	7.929,12.10lx	693.47cm

- 7W
- AC 85-265V
- Φ use 560Lm (90°)
- Méret \varnothing 90 x 45mm
- Rögzítő nyílás \varnothing 70mm
- Nettó tömeg – 146g
- 4000K – természetes fehér
- IP20
- 55°
- 30000h
- Ajánlott környezeti hőmérséklet -5° és +40°C
- 3 év garancia
- Alumínium-fehér
- Dimmelhető – nem
- Csomagolás 1/100

<https://nedes.hu/led-feny-7w-4000k/cob/wh-ldl721/p-945>

www.nedes.hu



Art.Nr. **LDL721**



1m	792.9,1210lx	69.35cm
2m	198.2,302.6lx	138.69cm
3m	88.10,134.5lx	208.04cm
4m	49.56,75.64lx	277.39cm
5m	31.72,48.41lx	346.74cm
6m	22.03,33.62lx	416.08cm
7m	16.18,24.70lx	485.43cm
8m	12.39,18.91lx	554.78cm
9m	9.789,14.94lx	624.12cm
10m	7.929,12.10lx	693.47cm

- 7W
- AC 175-265V
- Φ use 560Lm (90°)
- Dimension \varnothing 90 x 45mm
- Montageloch \varnothing 70mm
- Nettogewicht – 146g
- 4000K – Neutralweiß
- IP20
- 55°
- 30000St
- Empfohlene Umgebungstemperatur -5° bis +40°C
- Garantiezeit 3 Jahre
- Aluminium-Weiß
- Nicht dimmbar
- Verpackung 1/100

<https://nedes.at/led-leuchte-7w-4000k/cob/wh-ldl721/p-945>

www.nedes.at