




Art.Nr. **LPL522C**



1m	1909,28061x	51.94cm
2m	477.3,701.61x	103.87cm
3m	212.1,311.81x	155.81cm
4m	119.3,175.41x	207.75cm
5m	76.37,112.31x	259.68cm
6m	53.03,77.961x	311.62cm
7m	38.96,57.281x	363.56cm
8m	29.83,43.851x	415.50cm
9m	23.57,34.651x	467.43cm
10m	19.09,28.061x	519.37cm


- 12W
- AC 85-265V
- Φ use 800Lm (90°) total - 900Lm
- Dimension \varnothing 80 x 85mm
- Weight netto – 275g
- 4000K – neutral white
- IP20
- 24°
- 30000h
- Recommended ambient temperature -5° to +40°C
- Warranty 3 years
- Aluminium-white
- Non-dimmable
- Packing 1/60

<https://nedes.eu/led-panel-12w-4000k/cob/wh-lpl522c/p-934>

www.nedes.eu



Art.Nr. **LPL522C**



1m	1909,2806lx	51.94cm
2m	477.3,701.6lx	103.87cm
3m	212.1,311.8lx	155.81cm
4m	119.3,175.4lx	207.75cm
5m	76.37,112.3lx	259.68cm
6m	53.03,77.96lx	311.62cm
7m	38.96,57.28lx	363.56cm
8m	29.83,43.85lx	415.50cm
9m	23.57,34.65lx	467.43cm
10m	19.09,28.06lx	519.37cm

- 12W
- AC 85-265V
- Φuse 800Lm (90°) total - 900Lm
- Rozmer Ø80 x 85mm
- Hmotnosť netto – 275g
- 4000K – neutrálna biela
- IP20
- 24°
- 30000h
- Doporučená teplota okolia -5° až +40°C
- Záruka 3 roky
- Hliník-biela
- Nestmievateľné
- Balenie 1/60

<https://nedes.sk/led-panel-12w-4000k/cob/wh-lpl522c/p934>

www.nedes.sk



Art.Nr. **LPL522C**



1m	1909,28061x	51.94cm
2m	477.3,701.61x	103.87cm
3m	212.1,311.81x	155.81cm
4m	119.3,175.41x	207.75cm
5m	76.37,112.31x	259.68cm
6m	53.03,77.961x	311.62cm
7m	38.96,57.281x	363.56cm
8m	29.83,43.851x	415.50cm
9m	23.57,34.651x	467.43cm
10m	19.09,28.061x	519.37cm

- 12W
- AC 85-265V
- Φ use 800Lm (90°) total - 900Lm
- Rozměr \varnothing 80 x 85mm
- Hmotnost netto – 275g
- 4000K – neutrální bílá
- IP20
- 24°
- 30000h
- Doporučená teplota okolí -5° až +40°C
- Záruka 3 roky
- Hliník-bílá
- Nestmívatelné
- Balení 1/60

<https://nedes.cz/led-panel-12w-4000k/cob/wh-lpl522c/p-934>

www.nedes.cz



Art.Nr. **LPL522C**



1m	1909,2806lx	51.94cm
2m	477.3,701.6lx	103.87cm
3m	212.1,311.8lx	155.81cm
4m	119.3,175.4lx	207.75cm
5m	76.37,112.3lx	259.68cm
6m	53.03,77.96lx	311.62cm
7m	38.96,57.28lx	363.56cm
8m	29.83,43.85lx	415.50cm
9m	23.57,34.65lx	467.43cm
10m	19.09,28.06lx	519.37cm


- 12W
- AC 85-265V
- Φ use 800Lm (90°) total - 900Lm
- Méret \varnothing 80 x 85mm
- Nettó tömeg – 275g
- 4000K - természetes fehér
- IP20
- 24°
- 30000h
- Ajánlott környezeti hőmérséklet -5° és +40°C
- 3 év garancia
- Alumínium-fehér
- Dimmelhető – nem
- Csomagolás 1/60

<https://nedes.hu/led-panel-12w-4000k/cob/wh-lpl522c/p-934>

www.nedes.hu



Art.Nr. **LPL522C**



1m	1909,2806lx	51.94cm
2m	477.3,701.6lx	103.87cm
3m	212.1,311.8lx	155.81cm
4m	119.3,175.4lx	207.75cm
5m	76.37,112.3lx	259.68cm
6m	53.03,77.96lx	311.62cm
7m	38.96,57.28lx	363.56cm
8m	29.83,43.85lx	415.50cm
9m	23.57,34.65lx	467.43cm
10m	19.09,28.06lx	519.37cm

- 12W
- AC 85-265V
- Φuse 800Lm (90°) total - 900Lm
- Dimension Ø80 x 85mm
- Nettogewicht – 275g
- 4000K - Neutralweiß
- IP20
- 24°
- 30000St
- Empfohlene Umgebungstemperatur -5° bis +40°C
- Garanzzeit 3 Jahre
- Aluminium-Weiß
- Nicht dimmbar
- Verpackung 1/60

<https://nedes.at/led-platte-12w-4000k/cob/wh-lpl522c/p-934>

www.nedes.at